

### DART Frequency Chart

Freq.	Code	Select	Freq.	Code	Select	Freq.	Code	Select	Freq.	Code	Select
26.325	R	1	26.675	R-Y	6	27.085	None	11	27.795	Y	16
26.330	R	2	26.680	R-Y	7	27.105	None	12	27.805	Y	17
26.335	R	3	26.690	R-Y	8	27.115	None	13	27.815	Y	18
26.345	R	4	26.695	R-Y	9	27.125	None	14	27.825	Y	19
26.350	R	5	26.700	R-Y	10	27.135	None	15	27.845	Y	20
26.355	R	6	26.705	R-Y	11	27.155	None	16	27.855	Y	21
26.360	R	7	26.715	R-Y	12	27.165	None	17	27.865	Y	22
26.370	R	8	26.720	R-Y	13	27.175	None	18	27.875	Y	24
26.375	R	9	26.725	R-Y	14	27.185	None	19	27.885	Y	25
26.380	R	10	26.730	R-Y	15	27.205	None	20	27.895	Y	23
26.385	R	11	26.740	R-Y	16	27.215	None	21	27.905	Y	26
26.395	R	12	26.745	R-Y	17	27.225	None	22	27.915	Y	27
26.400	R	13	26.750	R-Y	18	27.235	None	24	27.925	Y	28
26.405	R	14	26.755	R-Y	19	27.245	None	25	27.935	Y	29
26.410	R	15	26.765	R-Y	20	27.255	None	23	27.945	Y	30
26.420	R	16	26.770	R-Y	21	27.265	None	26	27.955	Y	31
26.425	R	17	26.775	R-Y	22	27.275	None	27	27.965	Y	32
26.430	R	18	26.780	R-Y	24	27.285	None	28	27.975	Y	33
26.435	R	19	26.785	R-Y	25	27.295	None	29	27.985	Y	34
26.445	R	20	26.790	R-Y	23	27.305	None	30	27.995	Y	35
26.450	R	21	26.795	R-Y	26	27.315	None	31	28.005	Y	36
26.455	R	22	26.800	R-Y	27	27.325	None	32	28.015	Y	37
26.460	R	24	26.805	R-Y	28	27.335	None	33	28.025	Y	38
26.465	R	25	26.810	R-Y	29	27.345	None	34	28.035	Y	39
26.470	R	23	26.815	R-Y	30	27.355	None	35	28.045	Y	40
26.475	R	26	26.820	R-Y	31	27.365	None	36			
26.480	R	27	26.825	R-Y	32	27.375	None	37			
26.485	R	28	26.830	R-Y	33	27.385	None	38			
26.490	R	29	26.835	R-Y	34	27.395	None	39			
26.495	R	30	26.840	R-Y	35	27.405	None	40			
26.500	R	31	26.845	R-Y	36	27.425	B	12			
26.505	R	32	26.850	R-Y	37	27.435	B	13			
26.510	R	33	26.855	R-Y	38	27.445	B	14			
26.515	R	34	26.860	R-Y	39	27.455	B	15			
26.520	R	35	26.865	R-Y	40	27.475	B	16			
26.525	R	36	26.875	R-B-Y	12	27.485	B	17			
26.530	R	37	26.880	R-B-Y	13	27.495	B	18			
26.535	R	38	26.885	R-B-Y	14	27.505	B	19			
26.540	R	39	26.890	R-B-Y	15	27.525	B	20			
26.545	R	40	26.900	R-B-Y	16	27.535	B	21			
26.555	R-B	12	26.905	R-B-Y	17	27.545	B	22			
26.560	R-B	13	26.910	R-B-Y	18	27.555	B	24			
26.565	R-B	14	26.915	R-B-Y	19	27.565	B	25			
26.570	R-B	15	26.925	R-B-Y	20	27.575	B	23			
26.580	R-B	16	26.930	R-B-Y	21	27.585	B	26			
26.585	R-B	17	26.935	R-B-Y	22	27.595	B	27			
26.590	R-B	18	26.940	R-B-Y	24	27.605	Y	1			
26.595	R-B	19	26.945	R-B-Y	25	27.615	Y	2			
26.605	R-B	20	26.950	R-B-Y	23	27.625	Y	3			
26.610	R-B	21	26.955	R-B-Y	26	27.645	Y	4			
26.615	R-B	22	26.960	R-B-Y	27	27.655	Y	5			
26.620	R-B	24	26.965	None	1	27.665	Y	6			
26.625	R-B	25	26.975	None	2	27.675	Y	7			
26.630	R-B	23	26.985	None	3	27.695	Y	8			
26.635	R-B	26	27.005	None	4	27.705	Y	9			
26.640	R-B	27	27.015	None	5	27.715	Y	10			
26.645	R-Y	1	27.025	None	6	27.725	Y	11			
26.650	R-Y	2	27.035	None	7	27.745	Y	12			
26.655	R-Y	3	27.055	None	8	27.755	Y	13			
26.665	R-Y	4	27.065	None	9	27.765	Y	14			
26.670	R-Y	5	27.075	None	10	27.775	Y	15			

CODES: R-Red  
 B-Blue  
 Y-Yellow

Note: Some units may operate above 28.045 by using B-Y and start at 12 on the selector.